

PROJECT:

LOCATION:

ENGINEER:


SALES ENGINEER:

ARCHITECT:

CONTRACTOR:

DATE:

TG- FLEXIBLE HOSE W/ EXTERNAL HELIX



Ø'A'	LB/FT
4	0.40
5	0.47
6	0.54
8	0.74
10	0.94

SCHEDULE

ITEM	QTY	MODEL	DIA.	LENGTH	REFERENCE

NOTES:

CONSTRUCTION: TEFLON COATED FIBERGLASS (INTERIOR & EXTERIOR) WITH A EXTERNAL GALVANIZED STEEL HELIX.

TEMPERATURE RANGE: -235° F TO 480° F.

COLOR: LIGHT BROWN W/EXTERNAL GALVANIZED HELIX.

BENEFITS: HOSE CAN HANDLE HIGH TEMPERATURE & RESISTS OVER 3000 CHEMICALS.

MECHANICALLY BONDED CORROSION RESISTANT HELIX OFFERS A STRONG, ADHESIVE- FREE CONSTRUCTION WITH SUPERIOR WEAR RESISTANCE.

ALL DIMENSIONS IN INCHES AND NOMINAL.

*VENTAIRE TEMPERATURE RANGE STATED BASED ON INDUSTRY STANDARD BAKE TEST. WHEN ADDITIONAL AMBIENT AIR IS INTRODUCED INTO THE SYSTEM THIS TEMPERATURE RANGE CAN BE INCREASED.